Updated Risk Assessments to minimise the risk of being exposed to Covid-19

The process involved consultation with all school staff.

Methodology used for hazard identification and control

In line with the requirements of Safety, Health and Welfare at Work Act 2005 (section 19) it is the policy of the BoM in (Insert School Name) to address significant hazards and risks in the workplace, to access the risks to safety, health and welfare and to control these risks as far as is reasonably practicable.

The Board is committed to the ongoing identification of hazards, the assessment of the appropriate risks and the introduction of controls to deal with them. In addition, staff are involved and participate in safety, health and welfare issues within the school and are encouraged to identify and report any potential hazards that may exist and to ensure that a risk assessment is carried out.

This revised Risk Assessment includes all relevant updates and necessary control measures to minimise the risk of staff and others being exposed to Covid-19 and these will be incorporated into the Safety Statement for St. Projects in line with requirements of section 20 of the 2005 Act.

It is envisaged that additional reviews will be undertaken on a regular basis and in line with Government and public health advice to ensure that all information remains accurate, that controls are appropriate and where necessary risks are reassessed.

A hazard is anything with the potential to cause harm to the safety, health or welfare of staff, students, visitors and contractors – a wet or slippery floor, an unguarded machine, stressful work, a blocked entrance, hazardous chemicals etc. Hazards may be classified as physical, chemical, biological, environmental or human.

A risk is the likelihood that someone will be harmed by a hazard and the severity of that harm.

Control measures:

A control measure is an applied measure that reduces the level of risk. Control measures can be applied at the planning stage, can comprise physical measures, can be management issues and can include training. Good control measures will require a combination of some or all of these.

Control measure principles:

Schedule 3 of the Safety, Health and Welfare at Work Act 2005 lists the Principles of Prevention and the Board of Management undertakes to apply these principles (where practicable) in dealing with all risks within the school:

- Avoidance of risks
- Evaluation of unavoidable risks
- Combating of risks at source
- Adaptation of work to the individual
- Adaptation of workplace to technical progress
- Replacement of dangerous articles, substances or systems of work by safe or less dangerous articles, substances or systems of work
- Priority to collective protective measures over individual protective measures
- Development of an adequate prevention policy which takes account of technology, organisation of work, working conditions, social factors and the influence of factors relating to the working environment
- Appropriate training and instructions to employees.

When the safety audit identifies hazards, it is necessary to evaluate and rank them so that they can be controlled in an orderly way. The risk of a hazard is a measure of the likelihood or probability of an accident coupled with the severity of the injury or loss. The risk potential of each hazard was assessed (by ranking) by giving numerical values of between 1 and 5 to both the **severity** of the consequences and the **probability** of the event occurring. When the severity numerical factor and the probability numerical factor were multiplied together, they produced a number between 1 and 25 thereby producing the numerical values outlined in **risk rating** chart below.

Severity x Probability = Risk Rating

Severity

| Severity Rating | Interpretation | Numerical Value |
|--------------------------|---|-----------------|
| Fatality or Catastrophic | Single or multiple fatalities, widespread illness, large scale property or equipment damage | 5 |
| Major | Serious injury or illness, significant property or equipment damage | 4 |
| Moderate | Injury and damage to property | 3 |
| Minor | Minor injury or illness, minor property or equipment damage | 2 |
| Trivial | No significant injury or illness, no significant property or equipment damage | 1 |

Probability/Likelihood

| Probability Rating | Interpretation | Numerical Value |
|--------------------|---|-----------------|
| Inevitable | Likely to occur either immediately or in the short term | 5 |
| Very Likely | Could occur in time or if repeated enough | 4 |
| Likely | Likely to occur | 3 |
| Unlikely | Though unlikely, may occur over time | 2 |
| Rare | Unlikely to occur at all | 1 |

Risk Rating

| Descriptive risk rating | Interpretation |
|---|--|
| Emergency – Extremely serious | Risks are unacceptable and immediate action required justifying special |
| If an incident were to occur, it would be likely | maintenance. Activity should be halted and stopped until the hazard is |
| that a permanent, debilitating injury or death | eliminated or appropriate risk controls are put in place. |
| would result | |
| Severe and Serious | Activity can proceed but substantial efforts should be made to reduce the risk. |
| If an incident were to occur, it would be likely | Risk reduction measures should be implemented urgently within a defined |
| that an injury requiring medical treatment would | time period and it might be necessary to consider suspending or restricting |
| result. | the activity or to apply interim control measures until this has been |
| | completed. |
| Medium | Activity can proceed but consideration should be given as to whether the risks |
| If an incident were to occur, there would be | can be lowered. Control measures must be monitored and reviewed as |
| some chance that an injury requiring First Aid | required to ensure they remain suitable and sufficient. |
| treatment would result | |
| Trivial or Negligible | No additional controls are necessary as these risks are considered acceptable. |
| If an incident were to occur, there would be little | Activity should be regularly reviewed to ensure there is no change to the risk |
| likelihood that an injury would result | rating and that controls are maintained. |
| | |
| | Emergency – Extremely seriousIf an incident were to occur, it would be likelythat a permanent, debilitating injury or deathwould resultSevere and SeriousIf an incident were to occur, it would be likelythat an injury requiring medical treatment wouldresult.MediumIf an incident were to occur, it would be likelythat an injury requiring medical treatment wouldresult.If an incident were to occur, there would be some chance that an injury requiring First Aid treatment would resultTrivial or NegligibleIf an incident were to occur, there would be |

*Note: A numerical rating has been used in column 4 of the risk assessment sheets to describe the risk potential for the hazard identified This method has been used in an attempt to ensure that the levels of risk will be understood and clear to all those operating within the school.

| Who may be affected? | Identified Risks | Risk Communication, Education and Training Controls | Risk Rating with controls | Action implementation |
|---|---|---|------------------------------|---|
| Staff | 60 years of age and over have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer pregnant women | The Board of Management will develop a response plan for the prevention and mitigation of Covid-19 following a risk assessment of the school facility. This plan will highlight the measures necessary to protect the health and safety of staff in re-opening and modifying the work arrangements within the school. The staff representative(s) will be properly consulted when developing and implementing the action plan for the prevention and mitigation of Covid-19 within the school and all staff will be informed about the measures being introduced, using specific risk communication and staff engagement approaches. The Board of Management will: Ensure that all staff receive necessary training prior to returning to work Provide posters, information and electronic message boards to increase awareness of Covid-19 among staff and pupils Promote safe individual practices within the school campus Engage with staff in providing feedback on the preventive measures and their effectiveness Provide regular information about the risk of Covid-19 using official sources, such as government agencies (HSE, HSA, etc.) and the World Health Organisation Emphasise the effectiveness of adopting protective measures especially good personal hygiene Provide specific training in the proper use of PPE for staff, where required | Negligible | Board of Management Principal Staff |
| <u>Risk Level Calculati</u> (a) Severity of risk/ (b) Likelihood of ev (c) Risk Rating = (a) | injury 1=trivial, 2=slight, 3=mc rent 1=rare, 2=unlikely, 3=lik | Risk Level Action oderate, 4=major, 5=fatality 1-5 Trivial risk Acceptable ely, 4=very likely, 5=inevitable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in | | trol |

| Assessment Date: | June, 2020 | Assessor's Name: | | |
|--|--|---|------------------------------|---|
| Who may be affected? | Identified Risks | Hygiene Controls | Risk Rating with controls | Action implementation |
| All staff Pupils Visitors Contractors Public | the coronavirus are: 60 years of age and over have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer pregnant women Known effects of the coronavirus: A fever (high temperature of 37.5 degrees Celsius or above) A cough - this can be any kind of cough, not just a dry cough | The BoM will ensure that all staff can wash their hands regularly. Hot water and appropriate santitisers (i.e. hand gel dispensers, etc.) will be available throughout the school. Staff should: ✓ Wash their hands properly and often. Hands should be washed: After coughing or sneezing Before and after eating or preparing food Before and after using protective gloves Before and after being on public transport When arriving and leaving the school campus After toilet use ✓ Cover theirmouth and nose with a tissue or their sleeve when coughing and sneezing. ✓ Put used tissues into a bin and wash their hands Develop a routine of incresed cleaning and disinfecting of frequently touched objects and surfaces The BoM will supply required cleaning products, will ensure the correct use and storage of disinfectants and will ensure all products are stored safely and securely. No employees are permitted to attend work if they display any of the symptoms below: - ✓ Fever (temperature of 37.5 degrees or above) ✓ Cough ✓ Shortness of breath ✓ Breathing difficulties Any Staff Member displaying symptoms must self-isolate and not attend school for 14 days Any staff Member who has tested positive for Covid-19 must not return to work until deemed fit to do so and upon approval of their medical advisor Staff can follow_https://www2.hse.ie/ for regular updates or can contact HSELive for advice 1850 241850 | Requires monitoring | Board of Management Principal Staff Visitors |
| Risk Level Calculat (a) Severity of risk, (b) Likelihood of ev (c) Risk Rating = (a | /injury 1=trivial, 2=slight, 3=moder vent 1=rare, 2=unlikely, 3=likely | rate, 4=major, 5=fatality 1-5 Trivial risk Acceptable , 4=very likely, 5=inevitable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furthe 16-25 Emergency risk Halt activity and review in | | rol |

| Who may be affected? | Identified Risks | Hygiene Controls | Risk Rating with controls | Action implementation |
|--|---|--|------------------------------|---|
| All staff Pupils Visitors Contractors Public | Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: 60 years of age and over have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer pregnant women Known effects of the coronavirus: A fever (high temperature of 37.5 degrees Celsius or above) A cough - this can be any kind of cough, not just a dry cough Shortness of breath or breathing difficulties Loss of sense of smell Loss of sense of taste or distortion of sense of taste Death | Necessary PPE is available to staff Standard cleaning and maintenance regimes are put in place and detailed records retained Toilet facilities are cleaned regularly Equipment sharing is minimised. Staff are encouraged not to share equipment There is regular cleaning of frequently touched surfaces and that staff are provided with essential cleaning materials to keep their own work areas clean (for example wipes/disinfection products, paper towels and waste bins/bags) All school equipment is sanitised – cleaning programmes to be devised to ensure that shared equipment is cleaned and disinfected between use by different people Covid compliant work areas to be available where social distancing guidelines can be applied There is staggered use of staffroom. GP room to be used in conjunction with staff room Bins are provided for disposal of waste materials (tissues, paper towels, wipes, etc.) and that adequate waste collection arrangements to be put in place to ensure they do not overflow | Requires monitoring | Board of Management Principal Staff Visitors |

(a) Severity of risk/injury(b) Likelihood of event(c) Risk Rating = (a) X (b)

1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable

Assessment Date: June, 2020

Risk Level Action

| 1-5 | Trivial risk | Acceptable |
|-------|----------------|---|
| 6-10 | Medium risk | Requires monitoring |
| 11-15 | Severe risk | Requires immediate further action and control |
| 16-25 | Emergency risk | Halt activity and review immediately |
| | | |

| Who may be affected? | Identified Risks | Social Distancing Controls | Risk Rating with controls | Action implementation |
|--|---|---|------------------------------|---|
| All staff Pupils Visitors Contractors Public | Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: 60 years of age and over have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer pregnant women Known effects of the coronavirus: A fever (high temperature of 37.5 degrees Celsius or above) A cough - this can be any kind of cough, not just a dry cough Shortness of breath or breathing difficulties Loss of sense of smell Loss of sense of taste or distortion of sense of taste Death | school and while working in the school physical spacing -staff to remain 2m apart in communal areas. Pods within class bubbles to be kept 1m apart Break times will be staggered and school supervision procedures must be strictly adhered to Appropriate signage in line with public health guidelines will be displayed throughout school facility (buildings and grounds) Meetings of staff will take place online There is currently a strict no handshaking policy in place within the school All staff, contractors and visitors should avoid direct physical contact with any other persons as far as possible SEN team will be asigned to one class grouping where possible. Individuals and groups will be withdrawn from this bubble. | Requires monitoring | Board of Management Principal Staff Visitors |

| (a) Severity of risk/injury | 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality |
|-----------------------------|---|
| (b) Likelihood of event | 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable |
| (c) Risk Rating = (a) X (b) | |

Assessment Date: June, 2020

Risk Level Action

| 1-5 | Trivial risk | Acceptable |
|-------|----------------|---|
| 6-10 | Medium risk | Requires monitoring |
| 11-15 | Severe risk | Requires immediate further action and control |
| 16-25 | Emergency risk | Halt activity and review immediately |

| Who may be affected? | Identified Risks | | aning ontrols | Risk Rating with controls | Action implementation |
|---|--|--|---|------------------------------|---|
| Staff especially cleaning staff | Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death | items handled at work or during breakt have bring to work (e.g. mobile phones surfaces or they will need to clean the s Cleaning staff will be trained in the new Sufficient cleaning materials and PPE w Cleaning staff will be instructed to we need to wash their hands thoroughly wearing gloves System in place for the disposable of Current HSE guidance recommends we person suspected of having Covid-19 s area for 72 hours before being presented System in place to make sure reusable non-disposable cloths are clean before | onal items that have been brought to work and s. Staff advised to clean personal items that they s) and to avoid leaving them down on communal surface after the personal item is removed v cleaning arrangements for the school ill be available to allow for increased cleaning ear gloves when cleaning and are aware of the v with soap and water, both before and after cleaning cloths and used wipes in a rubbish bag aste such as cleaning waste, tissues etc. from a should be double bagged and stored in a secure ed for general waste collection e cleaning equipment including mop heads and re-use ment such as buckets are emptied and cleaned | Requires monitoring | Board of Management Principal Staff |
| <u>Risk Level Calculatio</u> (a) Severity of risk/i (b) Likelihood of ev (c) Risk Rating = (a) <u>Assessment Date</u> : | injury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik | oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable | Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate further16-25Emergency riskHalt activity and review inAssessor's Name:Assessor's Name | | trol |

| Staff Spread of Covid-19 virus • Office access solely for the secretary and principal Board of Management Persons currently deemed Requires Principal Most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, Iung disease, high blood pressure, diabetes or cancer • With the secretary and principal • Office access solely for the secretary and principal Board of Management | Who may be affected? | Identified Risks | Office and administration areas Controls | Risk Rating with controls | Action implementation |
|---|-------------------------|--|--|------------------------------|-----------------------|
| pregnant women Known effects of the coronavirus: A fever (high temperature of 37.5 degrees Celsius or above) A cough - this can be any kind of cough, not just a dry cough Shortness of breath or breathing difficulties Loss of sense of smell Loss of sense of taste or distortion of sense of taste Death | Staff | Persons currently deemed most at risk of complications if they catch the coronavirus are: 60 years of age and over have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer pregnant women Known effects of the coronavirus: A fever (high temperature of 37.5 degrees Celsius or above) A cough - this can be any kind of cough, not just a dry cough Shortness of breath or breathing difficulties Loss of sense of smell Loss of sense of taste or distortion of sense of taste | Office access solely for the secretary and principal | - | - |

(a) Severity of risk/injury 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality
(b) Likelihood of event
(c) Risk Rating = (a) X (b)
1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality
1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable

Risk Level Action

| 1-5 | Trivial risk | Acceptable |
|-------|----------------|---|
| 6-10 | Medium risk | Requires monitoring |
| 11-15 | Severe risk | Requires immediate further action and control |
| 16-25 | Emergency risk | Halt activity and review immediately |

Assessment Date: June, 2020

| Who may be affected? | Identified Risks | Use of PPE Controls | Risk Rating with controls | Action implementation |
|--|--|---|------------------------------|---|
| Staff | they catch the coronavirus are: 60 years of age and over have long-term medical conditions – i.e. heart disease, | Current general guidance from the HSE in relation to the wearing of face coverings, masks and gloves is available at the following Link: https://www2.hse.ie/conditions/coronavirus/face-masks-disposable-gloves.html Face masks/visors will be provided to all staff and are available for use. Gloves are not required generally within the workplace for infection prevention and control purposes according to current guidance. Due to the risks associated with the usage of gloves, the Board of Management will not be providing gloves to staff for general use. | Requires monitoring | Board of Management Principal Staff |
| <u>Risk Level Calculation</u> (a) Severity of risk/ (b) Likelihood of ev | injury 1=trivial, 2=slight, 3=mc | Main Provide Action Risk Level Action Inderate, 4=major, 5=fatality 1-5 Trivial risk Acceptable Inderate, 4=major, 5=fatality 6-10 Medium risk Requires monitoring | | |

(b) Likelihood of event (c) Risk Rating = (a) X (b)

1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable

Assessment Date: June, 2020

| 1-5 | Trivial risk | Acceptable |
|-------|----------------|---|
| 6-10 | Medium risk | Requires monitoring |
| 11-15 | Severe risk | Requires immediate further action and control |
| 16-25 | Emergency risk | Halt activity and review immediately |

| Who may be affected? | Identified Risks | Handling books and other resources during Covid-19 Controls | Risk Rating with controls | Action implementation |
|---|--------------------------|--|---------------------------|--|
| Staff (particularly SNAs, school secretaries and school book rental co-ordinator) | Persons currently deemed | Follow the agreed school protocols in you are displaying symptoms of Covid-19 Any books or other items (resource packs, computers, etc.) being returned to the school should be quarantined for 72 hours. | Requires monitoring | Board of Managemen Principal Staff |

(a) Severity of risk/injury(b) Likelihood of event(c) Risk Rating = (a) X (b)

1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable

Risk Level Action

| 1-5 | Trivial risk | Acceptable |
|-------|----------------|---|
| 6-10 | Medium risk | Requires monitoring |
| 11-15 | Severe risk | Requires immediate further action and control |
| 16-25 | Emergency risk | Halt activity and review immediately |

Assessment Date: June, 2020

| Who may be affected? Ide | ntified Risks | Using hand tools or equipment Controls | Risk Rating with controls | Action implementation |
|--|--|---|------------------------------|---|
| Persons most at ris they catch • 60 years • have conditions lung dise pressure, d • pregnan Known coronaviru • A fever (37.5 degre • A cough kind of co cough • Shortne breathing o • Loss of se • Loss of | currently deemed ✓ k of complications if ✓ the coronavirus are: of age and over ✓ long-term medical – i.e. heart disease, ✓ ease, high blood liabetes or cancer ✓ t women effects of the s: high temperature of es Celsius or above) n - this can be any ugh, not just a dry ess of breath or | Staff must wear the appropriate PPE for the nature of the work that they are undertaking All tools and equipment must be properly sanitised to prevent cross contamination Arrangements should be put in place for one individual to use the same tool, equipment and machinery as far as is reasonably practicable Cleaning material will be available so that all tools can be wiped down with disinfectant between each use All mobile machinery (including lawnmowers) must be thoroughly cleaned and santisied prior to use In the event that a class teacher needs to contact a parent privatelypersonal phone may be used on caller id private setting. | Requires monitoring | Board of Management Principal Staff |

(a) Severity of risk/injury 1=trivis
(b) Likelihood of event 1=rare,
(c) Risk Rating = (a) X (b)

1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable

Assessment Date: June, 2020

Risk Level Action

| 1-5 | Trivial risk | Acceptable |
|-------|----------------|---|
| 6-10 | Medium risk | Requires monitoring |
| 11-15 | Severe risk | Requires immediate further action and control |
| 16-25 | Emergency risk | Halt activity and review immediately |
| | | |

| Who may be affected? | Identified Risks | Dealing with a suspected case of Covid-19 Controls | Risk Rating with controls | Action implementation |
|---|---|---|------------------------------|---|
| Staff Pupils Visitors Contractors | Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: 60 years of age and over have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer pregnant women | area and the route to the designated area should be easily accessible and as far as is reasonable and practicable, should be accessible by people with disabilities. The possibility of having more than one person displaying signs of Covid-19 needs to be considered so having additional isolation areas available or another contingency plan for dealing with additional cases must be planned. It would be important that the designated area has the ability to isolate the person behind a closed door and away from other workers | Requires | Board of Management Principal Staff |
| | Known effects of the coronavirus: A fever (high temperature of 37.5 degrees Celsius or above) A cough - this can be any kind of cough, not just a dry cough Shortness of breath or breathing difficulties Loss of sense of smell Loss of sense of taste or distortion of sense of taste Death | designated isolation area via the isolation route, keeping at least 2 metres away from the symptomatic person and also making sure that others maintain a distance of at least 2 metres from the symptomatic person at all times. Provide a mask for the person presenting with symptoms if one is available. He/she should wear the mask if in a common area with other people or while exiting the premises. | monitoring | |
| <u>Risk Level Calculati</u> (a) Severity of risk/ (b) Likelihood of ev (c) Risk Rating = (a) | injury 1=trivial, 2=slight, 3=mo rent 1=rare, 2=unlikely, 3=like | Risk Level Actionderate, 4=major, 5=fatality1-5Trivial riskAcceptableely, 4=very likely, 5=inevitable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furth16-25Emergency riskHalt activity and review in | | trol |

| Who may be affected? | Identified Risks | Dealing with a suspected case of Covid-19 (continued) Controls | Risk Rating with controls | Action implementation |
|--|--|--|------------------------------|---|
| Staff Pupils Visitors Contractors | Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: 60 years of age and over have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer pregnant women Known effects of the coronavirus: A fever (high temperature of 37.5 degrees Celsius or above) A cough - this can be any kind of cough, not just a dry cough Shortness of breath or breathing difficulties Loss of sense of smell Loss of sense of taste or distortion of sense of taste | If the person is well enough to go home, arrange for them to be transported home by a family member, as soon as possible and advise them to inform their general practitioner by phone of their symptoms. Public transport of any kind should not be used If they are too unwell to go home or advice is required, contact 999 or 112 and inform them that the sick person is a Covid-19 suspect. Carry out an assessment of the incident which will form part of determining follow-up actions and recovery. Arrange for appropriate cleaning of the isolation area and work areas involved. | Requires monitoring | Board of Management Principal Staff |

(a) Severity of risk/injury(b) Likelihood of event(c) Risk Rating = (a) X (b)

1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable

Risk Level Action

1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate further action and control16-25Emergency riskHalt activity and review immediately

Assessment Date: June, 2020

| Who may be affected? | Identified Risks | Covid-19 cleanin Controls | g | Risk Rating with controls | Action implementation |
|--|---|--|---|------------------------------|---|
| | Identified Risks Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: 60 years of age and over have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer pregnant women Known effects of the coronavirus: A fever (high temperature of 37.5 degrees Celsius or above) A cough - this can be any kind of cough, not just a dry cough Shortness of breath or breathing difficulties Loss of sense of smell | Controls All cleaning will be undertaken in line with DES and pull ✓ It is recommended cleaning an area with normal he suspected coronavirus (Covid-19) case. This will infection on to other people ✓ The area should be kept closed and secure for 72 h amount of virus living on surfaces will have reduced ✓ For cleaning purposes, wear a face mask, disposabl be double-bagged, then stored securely for 72 h rubbish after cleaning is finished should be double-bagged, ✓ Using a disposable cloth, first clean hard surfaces will disinfect these surfaces with the cleaning product attention to frequently touched areas and surfaces and surfaces with the cleaning product attention to frequently touched areas and surfaces with stairwells and door handles | blic health guidance. Dusehold disinfectant after a reduce the risk of passing the nours (if possible) for cleaning as the d significantly by 72 hours e or washing up gloves. These should ours and then put with the regular with warm soapy water. Then cts you normally use. Pay particular faces, such as toilets, banisters on with visible bodily fluids, from a protection for the eyes, mouth and econds and after removing gloves, assed through and spent minimal | | Action implementation Board of Management Principal Cleaning staff |
| | Loss of sense of smell Loss of sense of taste or distortion of sense of taste Death | time, such as corridors, but which are not visibly c cleaned as normal ✓ All surfaces that the symptomatic person has come and disinfected, including objects which are visibly | into contact with must be cleaned | | |
| <u>Risk Level Calculatio</u> (a) Severity of risk/i (b) Likelihood of eve (c) Risk Rating = (a) | on injury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik | derate, 4=major, 5=fatality 1-5 Tri | l Action ivial risk Acceptable edium risk Requires monitoring | er action and cor | trol |

Assessor's Name:

16-25 Emergency risk Halt activity and review immediately

| Who may be affected? | Identified Risks | | pected/confirmed case of Covid-19 Controls | Risk Rating with controls | Action implementation |
|---|---|--|---|------------------------------|----------------------------------|
| Staff Pupils | Spread of Covid-19 virus | All cleaning will be undertaken in line with D | ES and public health guidance. | | Board of Management Principal |
| Pupils Visitors | most at risk of complications if they catch the coronavirus are: 60 years of age and over have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer pregnant women Known effects of the coronavirus: A fever (high temperature of 37.5 degrees Celsius or above) A cough - this can be any kind of cough, not just a dry cough Shortness of breath or breathing difficulties | floors, chairs, door handles and sanitary fir and disinfectant in line with the manufact times Disinfectants used should be effective again Additionally: Avoid creating splashes and spray when cleat Any cloths and mop heads used must be di- outlined below. When items cannot be cleaned using de- mattresses for example) steam cleaning should be disposed of | nning. isposed of and should be put into waste bags etergents or laundered (upholstered furniture ould be used ated with bodyfluids and that cannot be cleaned | ! | Cleaning staff |
| | Loss of sense of smell Loss of sense of taste or distortion of sense of taste Death | If possible, keep an area closed off and secu contamination will have decreased substant | re for 72 hours. After this time the amount of virus ially, and cleaning can take place as normal | | |
| <u>Risk Level Calculati</u> (a) Severity of risk/ (b) Likelihood of ev (c) Risk Rating = (a) Assessment Date: | injury 1=trivial, 2=slight, 3=m ent 1=rare, 2=unlikely, 3=lik X (b) | oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable | <u>Risk Level Action</u> 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review ir Assessor's Name: | | trol |

| Who may be affected? | Identified Risks | Cleaning a space with a suspected/confirmed case of Covid-19 (continued) Controls | Risk Rating with controls | Action implementation |
|-----------------------------|---|--|-----------------------------------|--|
| Staff Pupils Visitors | Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood | Laundry Wash items in accordance with the manufacturer's instructions. Use the warmest water setting and dry items completely. Dirty laundry that has been in contact with an unwell person can be washed with other people's items. Do not shake dirty laundry as this minimises the possibility of dispersing the virus through the air Clean and disinfect anything used for transporting laundry with your usual products, in line with the cleaning guidance outlined above Waste Management Waste should be put in a plastic rubbish bag and tied when full The plastic bag should then be placed in a second bin bag and tied It should be put in a suitable and secure place and marked for storage until the individual's test results are known All waste should be bot of at least 72 hours If the individual tests negative, the waste can be put in with the normal waste. If the individual tests positive, then store it for at least 72 hours and put in with the normal waste | Serious Requires monitoring | Board of Management Principal Cleaning staff |
| Risk Level Calculatio | on | Risk Level Action | | |

(a) Severity of risk/injury 1=1
(b) Likelihood of event 1=r
(c) Risk Rating = (a) X (b)

1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable

Assessment Date: June, 2020

Risk Level Action

| 1-5 | Trivial risk | Acceptable |
|-------|----------------|---|
| 6-10 | Medium risk | Requires monitoring |
| 11-15 | Severe risk | Requires immediate further action and control |
| 16-25 | Emergency risk | Halt activity and review immediately |
| | | |

| Who may be affected? | Identified Risks | Travel to and from work | Risk Rating with controls | Action implementation |
|-----------------------------|---|---|------------------------------|-----------------------|
| | | Controls | with controls | |
| Staff | most at risk of complications ifthey catch the coronavirus are:60 years of age and over | Wherever possible, staff should travel to work alone using their own means of transport – staff should not share transport to or from work. If availing of public transport, sit down to minimise contact with frequently touched surfaces, handles, roofstraps, isolation bars, etc. Wear a face mask and carry hand santiser (at least 60% alcohol) and use it regularly throughout your journey. | Requires monitoring | All staff |
| <u>Risk Level Calculati</u> | pregnant women Known effects of the coronavirus: A fever (high temperature of 37.5 degrees Celsius or above) A cough - this can be any kind of cough, not just a dry cough Shortness of breath or breathing difficulties Loss of sense of smell Loss of sense of taste or distortion of sense of taste Death | <u>Risk Level Action</u> | | |

(a) Severity of risk/injury
(b) Likelihood of event
(c) Risk Rating = (a) X (b)1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality
1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable

Assessment Date: June, 2020

| 1-5 | Trivial risk | Acceptable |
|-------|----------------|---|
| 6-10 | Medium risk | Requires monitoring |
| 11-15 | Severe risk | Requires immediate further action and control |
| 16-25 | Emergency risk | Halt activity and review immediately |

| Who may be affected? | Identified Risks | Dropping off and picking up of pupils Controls | Risk Rating with controls | Action implementation |
|-------------------------|---|--|------------------------------|---|
| Bus and taxi drivers | most at risk of complications if they catch the coronavirus are: 60 years of age and over have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer pregnant women | Parents/guardians will be encouraged to wait in the car outside of the school due to our admission to the school building by appointment only protocol. Arrival and dismissal times will be staggered Group 1 Arrival for class at 8.50 Group 2 Arrival for class at 9.00 Infants arrival for class at 9.10 Staggered break and dismissal times will coincide with this (Please see attached document) | Requires monitoring | Board of Management Principal Staff Bus and taxi drivers |

| Risk Level Calculation | | Risk Level Action |
|-----------------------------|---|---|
| (a) Severity of risk/injury | 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality | 1-5 Trivial risk Acceptable |
| (b) Likelihood of event | 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable | 6-10 Medium risk Requires monitoring |
| (c) Risk Rating = (a) X (b) | | 11-15 Severe risk Requires immediate further action and control |
| | | 16-25 Emergency risk Halt activity and review immediately |
| | | |

Assessor's Name:

Assessment Date: June, 2020

| Who may be affected? | Identified Risks | Visitors to school Controls | Risk Rating with controls | Action implementation |
|------------------------------------|--|---|---------------------------|----------------------------------|
| Staff Pupils Wider Community | Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: 60 years of age and over have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer pregnant women Known effects of the coronavirus: A fever (high temperature of 37.5 degrees Celsius or above) A cough - this can be any kind of cough, not just a dry cough Shortness of breath or breathing difficulties Loss of sense of smell Loss of sense of taste or distortion of sense of taste | The Board of Management will ensure the safety and wellbeing of all visitors to the school premises. Visits to the school will be severely restricted and visitors will be asked to: | Requires monitoring | Board of Management Principal |

(a) Severity of risk/injury(b) Likelihood of event(c) Risk Rating = (a) X (b)

1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable

Risk Level Action

| 1-5 | Trivial risk | Acceptable |
|-------|----------------|---|
| 6-10 | Medium risk | Requires monitoring |
| 11-15 | Severe risk | Requires immediate further action and control |
| 16-25 | Emergency risk | Halt activity and review immediately |

Assessment Date: June, 2020

| Who may be affected? | Identified Risks | Management of deliveries and supplies to school Controls | Risk Rating with controls | Action implementation |
|---|---|--|---------------------------|---|
| Staff Pupils Drivers Wider Community | Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: 60 years of age and over have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer pregnant women Known effects of the coronavirus: A fever (high temperature of 37.5 degrees Celsius or above) A fough - this can be any kind of cough, not just a dry cough Shortness of breath or breathing difficulties Loss of sense of smell Loss of sense of taste or distortion of sense of taste Death | All drivers to remain in their vehicle and to follow instructions to set down area Ensure that all delivery transactions comply with physical distancing requirements Agree a delivery protocol with suppliers All deliveries to be planned with allocated times for collections and deliveries Arrangements to be made for paperless deliveries System to be agreed with suppliers to ensure reconciliations are accurate Appropriate sanitising arrangements at set down areas (for materials and stock) and at access and egress points. | Requires monitoring | Board of Management Principal Staff Delivery personnel |

(c) Risk Rating = (a) X (b)

1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable

(b) Likelihood of event

Assessment Date: June, 2020

| her action and control |
|------------------------|
| immediately |
| |

Declaration of Sight

I have read and understand the contents of this document.

| Signed: | Dated: |
|---------|----------|
| Signed: | Dated: |
| Signed: | Dated |
| Signed: | _ Dated: |
| Signed: | Dated: |
| Signed: | _ Dated: |
| Signed: | _ Dated: |
| Signed: | _Dated: |
| Signed: | Dated: |
| Signed: | Dated: |
| Signed: | Dated: |
| Signed: | _ Dated: |
| Signed: | _ Dated: |
| Signed: | _ Dated: |
| Signed: | _ Dated: |

| Signed: | Dated |
|---------|----------|
| Signed: | _ Dated: |
| Signed: | _ Dated: |
| Signed: | _ Dated |
| Signed: | Dated: |

| Signed: | Dated | |
|---------|--------|--|
| | | |
| Signed: | Dated: | |
| | | |